

W. P. MALLON,
SALES AGENT,
1706 BROADWAY,
NEW YORK.

Garland Buggy Co.

Wholesale Manufacturers

Carriages and Sleighs

Kalamazoo, Michigan

General Description.

All of our Sleighs are of our own design and manufacture, built from the raw material in our own factories.

Our Lumber is air dried.

Our Gears are select hickory.

All Knees are bent for either single or double curve; NO SAWED CURVES.

All Braces are special rolled steel, tougher than Norway iron and much stiffer; secured to knees and benches with clips and Norway iron bolts and rivets. All hand work.

All bodies are made of full width panel stock, cut from the log; (no laminated wood) glued, clamped, screwed and plugged to a select hardwood frame of thoroughly seasoned stock.


Painting is the old reliable wood and oil system, insuring the best finish and wearing qualities.

Our sleighs are trimmed with best grade cloths, padded with cotton fibre or curled hair, which gives a better finish and wearing qualities than any other material. Trimmings are removable wherever practical.

Some of our sleighs are quoted with shafts, some with poles and others with neither.

Make your orders plain, always observing the full description underneath each number.

No. 500




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Oval edge steel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, brewster green regular. Striped to harmonize.

Trimming—Removable. Union green cloth. Velour, car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.

No. 501




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and Gear, brewster green. Option carmine gear and dash. Striped to harmonize.

Trimming—Removable. Heavy Union green cloth. Velour, car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—16 inch. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and Gear, brewster green. Option carmine gear and dash. Striped to harmonize.

Trimming—Removable. Heavy Union green cloth. Velour, car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 503




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear and dash carmine. Striping to harmonize.

Trimming—Removable. Heavy Union green cloth. Velour, car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—16 inches. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear and dash, carmine. Striping to harmonize.

Trimming—Removable. Heavy Union green cloth. Velour, car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 505




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear and dash, carmine. Striping to harmonize.

Trimming—Removable. All Wool, green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—16 inch. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear and dash, carmine. Striping to harmonize.

Trimming—Removable. All wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 507




Gear—16 inch. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel. shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear and dash, brewster green or carmine. Striping to harmonize.

Trimming—Removable. All wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches. Cushion 18x34 inches. Nickel line rail.

Top—Rubber. Closed or detachable curtains. Headlining to match body upholstery.




Gear—About 22 inch. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green and carmine. Gear, brewster green. Striped to harmonize.

Trimming—Removable. All wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 510




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, brewster green; black mouldings. Gear, brewster green, or carmine gear and dash.

Trimming—Removable. Heavy wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—16 inch. Select Hickory. Bent knees. Fenders. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, brewster green; black mouldings. Gear, brewster green, or carmine gear and dash.

Trimming—Removable. Heavy wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 512




Gear—12 inch. Select Hickory. Wrought steel forgings. Longitudinal steel bars underneath the benches and clipped with spring shackles. Very easy riding springs. Albany bar, regular. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black. Gear, brewster green, or carmine gear and dash. Striped to harmonize.

Trimming—Removable. Heavy wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches. Cushion 18x34 inches. Nickel dash and arm rails.




Gear—12 inch. Select Hickory. Wrought steel forgings.
Albany bar, regular. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width
panels, reinforced in front.

Painting—Body, black. Gear, green. Option carmine gear
and dash.

Trimming—Removable. Heavy Union green cloth or
velour. Car or crushed plush, extra. Back about 22
inches. Cushion 18x34 inches. Nickel line and arm
rails.

No. 514




Gear—14 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Removable. Heavy wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Removable. Heavy wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 516




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.

Top—Rubber. Closed, or detachable curtains. Headlining to match body upholstery. Inside levers to operate top.




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy all wool green cloth or velour. Car or crushed plush, extra. Tufted sides. Spring back about 22 inches. Cushion about 18x34 inches. Nickel line and arm rails.

No. 518




Gear—14 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, green with black trimmings. Gear, green. Option carmine gear and dash.

Trimming—Heavy wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches. Cushion 18x34 inches. Nickel line and arm rails.



Gear—14 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.


Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy all wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.

Top—Rubber. Closed or detachable curtains. Headlining to match body upholstery. Inside levers to operate top.

No. 520




Gear—14 inch. Select Hickory. Double raves. Bent knees. Wrought steel braces, clipped. Channel shoes. Full length easy riding side springs. Shafts. Quick shifter or Albany bar. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black. Gear, green. Option carmine gear and dash.

Trimming—Removable. Heavy all wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches. Cushion 18x34 inches. Nickel line and arm rails.




Gear—14 inch. Select Hickory. Double raves. Bent knees. Wrought steel braces, clipped. Channel shoes. Full length easy riding side springs. Shafts. Quick shifter or Albany bar. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black. Gear, green. Option carmine gear and dash.

Trimming—Removable. Heavy all wool green cloth or velour. Car or crushed plush, extra. Tufted quarters. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.

No. 521




Gear—14 inch. Select Hickory. Extra nice finish. Double raves. Bent knees. Wrought steel braces, clipped. Channel shoes. Special designed springs, very easy riding. Shafts. Quick shifter or Albany bar. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black. Gear, green. Option carmine gear and dash.

Trimming—Removable. Heavy all wool green cloth or velour. Car or crushed plush, extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line and arm rails.




Gear—14 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy all wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.

No. 523




Gear—16 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy all wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.




Gear—14 inch. Select Hickory. Bent knees. Wrought steel forgings. Clipped braces. Channel shoes. Quick shifter or Albany bar. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body and gear, green. Option carmine gear and dash.

Trimming—Heavy all wool green cloth or velour. Car or crushed plush extra. Spring back about 22 inches high. Cushion 18x34 inches. Nickel line rail.

No. 525




Gear—About 27 inches front. Select second growth Hickory. Double bent knees. Full wrought steel forgings, clipped. Truss braces in front. Direct hitch. Select Hickory shafts. Track about 46 inches. Full length steel shoes.

Body—Select hardwood frame. Full with panels. Double curve side.

Painting—Body, black. Gear and dash, carmine or green. Striped to harmonize. Special colors when ordered at extra cost.

Trimming—Removable. Extra heavy all wool green or blue cloth, wool dyed. Fine car or crushed plush, extra. Back about 19 inches. Cushion 18x33. Nickel line rail.




Gear—About 25 inches front. Select Hickory. Bent knees. Wrought steel forgings, clipped. Direct hitch. Full length steel shoes. Shafts. Track about 42 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black. Gear and dash carmine. Striping to harmonize. Other combination of colors if ordered.

Trimming—Removable. Extra heavy all wool green or blue cloth, wool dved. Fine car or crushed plush, extra. Back about 19 inches. Cushion 18x33. Nickel line and arm rails.

No. 527




Gear—About 27 inch. Select second growth Hickory. Double bent knees. Full wrought steel forgings, clipped. Full truss front and rear. Full length steel shoes. Select Hickory shafts. Direct hitch.

Body—Select hardwood frame. Full width panels. Double curve side.

Painting—Body, black. Gear and dash, carmine or green. Striped to harmonize. Special colors when ordered at extra cost.

Trimming—Removable. Extra heavy all wool green or blue cloth, wool dyed. Fine car or crushed plush, extra. Back about 19 inches. Cushion 18x33 inches. Nickel line rail.




Gear—14 inch. Select Hickory. Bent knees. Extra heavy benches. Wrought steel forgings. Steel shoes. Shafts. Track about 38 inches.

Body—Select hardwood frame. Extra thick full width panels, reinforced in front.

Painting—Body, black and green combination. Gear and dash brewster green or carmine. Striped to harmonize.

Trimming—Heavy wool green or blue cloth, or cord. Car or crushed plush, extra. Spring cushions and backs. Cushions about 18x36. Backs about 22 inches. Nickel line and arm rails.

No. 529




Gear—14 inch. Select Hickory. Bent knees. Extra heavy benches. Wrought steel forgings. Steel shoes. Shafts. Very easy riding platform springs. Track about 38 inches.

Body—Select hardwood frame. Extra thick panels, reinforced in front.

Painting—Body, black and green combination. Gear and dash brewster green or carmine. Striped to harmonize.

Trimming—Heavy wool green or blue cloth, or cord. Car or crushed plush, extra. Spring cushions and backs. Cushions about 18x36 inches. Backs about 22 inches. Nickel line and arm rails.




Gear—14 inch. Select Hickory. Wrought forgings. Clipped braces. Steel shoes. Shafts. Track about 38 inches.

Body—33x90 inches outside. Drop end gate. Select hardwood throughout, framed and bolted. Removable seats, securely locked when in position. Leather dash.

Painting—Body, black. Gear, green or carmine. Striping to harmonize.

Trimming—Union green cloth. Velour, car or crushed plush, extra. Cushions about 17x40 inches. Backs about 20 inches.

No. 531




Gear—14 inch. Select Hickory. Wrought forgings. Clipped braces. Steel shoes. Shafts, Track about 38 inches.

Body—36x84 inches. Hardwood. Bolted and braced. Extension toeboard. Drop end gate.

Painting—Body; green panels, black moldings. Gear, green or carmine. Striped to harmonize.

Trimming—Cloth or imitation leather.




Gear—14 inch. Select Hickory. Wrought forgings. Clipped braces. Steel shoes. Pole. Track about 38 inches.

Body—36 in. x 9 ft. inside. Drop end gate. Select hardwood throughout, framed and bolted. Removable seats, securely locked when in position. Leather dash.

Painting—Body, black, Gear, green or carmine. Striping to harmonize.

Trimming—Union green cloth. Velour, car or crushed plush, extra. Cushions about 17x40 inches. Backs about 30 inches.

No. 533




Gear—12 inch. Select Hickory. Thoroughly ironed and braced with full length side elliptic springs. Steel shoes. Shafts. Albany bar. Track about 38 inches.

Body—Hardwood frame. Panel screwed and plugged. Wood dash.

Painting—Body, black. Gear, green. Neatly striped.

Trimming—Union green cloth. Velour, car or crushed plush, extra. Cushions about 17x32 inches. Backs about 20 inches. Nickel line rail.




Gear—12 inch. Select Hickory. Wrought steel forgings. Albany bar, regular. Shafts. Track about 38 inches.

Body—Hardwood frame. Panels screwed and plugged. Wood dash.

Painting—Body, black, Gear, green. Neatly striped.

Trimming—Union green cloth. Velour, car or crushed plush, extra. Cushions about 17x32 inches. Backs about 20 inches. Nickel line rail.

No. 535



General Purpose Gear.

Gear 16 in. high. 29 in. between rails. 36 in. long outside of benches. 68 in. long over all. Select material. One piece Bessemer steel knees. 9-16 in. round steel braces and

draw irons. This gear is constructed so as to use regular buggy body and shafts, or any body that will fit the above dimensions. Can be used straight or side hitch. Track about 38 inches. Painted wine color, only.